



There are many different fabric properties for many different applications. Some applications, like swimming pools, require permeable fabric, food processing may require anti-microbial fabric, and a high school gym may require a custom color fabric to match the school's colors. Further options include anti-static, flame retardant and impermeable, etc. FabricAir offers a wide variety of fabrics with different combinations of properties to match any application.

### Sammenlign

Please mark check boxes below to compare fabric attributes

| Fabrics type | Permeable | Flame retardancy |         |               |        |      |     | Anti-microbial | Antistat |
|--------------|-----------|------------------|---------|---------------|--------|------|-----|----------------|----------|
|              |           | DS               | EN      | UL 2518       | ULC    | GOST | NFP |                |          |
|              |           | 428              | 13501-1 | (incl. UL723) | s102.2 |      |     | 92:507         |          |

| Fabrics<br>Trevira<br>Type<br>Basic | Permeable | Flame retardancy |                              |                                |               |      |                      | M1 | Anti-<br>microbial | Antistat |
|-------------------------------------|-----------|------------------|------------------------------|--------------------------------|---------------|------|----------------------|----|--------------------|----------|
| Trevira<br>CS 100                   | ✓         | DS<br>✓<br>428   | ENB-s1,<br>d0<br>13501-<br>1 | UL<br>2518<br>(incl.<br>UL723) | ULC<br>s102.2 | GOST | NFPA<br>M1<br>92:507 |    |                    |          |
| Trevira<br>CS 150                   | ✓         | ✓                | B-s1,<br>d0                  | ✓                              | ✓             |      | M1                   | ✓  |                    |          |
| Combi<br>20                         | ✓         | ✓                | B-<br>s1,d0                  | ✓                              | ✓             | ✓    | M1                   |    |                    |          |
| Combi<br>30                         |           | ✓                | B-<br>s1,d0                  | ✓                              |               |      | M1                   |    |                    |          |
| Combi<br>60                         | ✓         |                  |                              |                                | ✓             |      |                      |    |                    |          |
| Combi<br>65                         |           |                  |                              |                                |               |      |                      |    |                    |          |
| Combi<br>70                         | ✓         | ✓                | B-<br>s1,d0                  | ✓                              | ✓             | ✓    | M1                   |    |                    |          |
| Combi<br>80                         | ✓         | ✓                | B-<br>s1,d0                  | ✓                              | ✓             | ✓    | M1                   | ✓  |                    |          |
| Combi<br>85                         |           | ✓                | B-<br>s1,d0                  | ✓                              | ✓             | ✓    | M1                   |    |                    |          |
| Combi<br>90                         |           | ✓                | B-s1,<br>d0                  | ✓                              | ✓             | ✓    | M1                   | ✓  |                    |          |
| Lite 5                              |           | ✓                | B-<br>s1,d0                  |                                |               |      |                      |    |                    |          |
| Lite 10                             |           | ✓                | B-<br>s1,d0                  |                                |               |      |                      |    |                    |          |
| Lite 15                             |           | ✓                | B-<br>s1,d0                  |                                |               |      |                      | ✓  |                    |          |

| Fabric type | Permeable | ✓   | B-s1,d0 | Flame retardancy |          |        |        | ✓ Anti-microbial | ✓ Antistat |
|-------------|-----------|-----|---------|------------------|----------|--------|--------|------------------|------------|
| Glass 220   |           | DS  | EN      | UL 2518          | ULC ✓    | GOST ✓ | MPP    |                  |            |
| Poly        |           | 428 | 13501-1 | (incl. UL723)    | s102.2 ✓ |        | 92:507 |                  |            |



### Sammenlign

Please mark check boxes above to compare fabric attributes